

Attractive T2 Spiral 15,000 hours

Lasting longer and taking less space



LongLast™ T2 Spiral Compact Fluorescent

- Full range of attractive reduced size spirals
- 15,000 hours premium long lifetime
- Fast warm-up
- EU Ecolabel certified quality



GE imagination at work

LongLast™

The LongLast™ Compact Fluorescent Light

Think of your living room. Can you name anything that was already there 15 years ago?

You see, things wear out, fashion come and go. You have probably changed everything in your living room at least once.

It is good to know that now with the LongLast™ T2 lightbulb some things don't have to change.


With only quick one step you can install your lamp which will provide you with quality light and a great visual appearance for the next 15 years.



	T3 Stick XM		T2 Spiral
Life (hours)	15,000		15,000 (=)
Length (mm)	128	> Smaller	100 (-22%)
Lumen	900	> Brighter	950 (+5%)
Mercury content (mg)	3.0	> Better	0.9 (-70%)

15W Extra Mini T3 Stick > 15W LongLast™ T2 Spiral

Long lasting performance



LongLast™ T2 Spiral Lumen Maintenance and Mortality according to IEC60969 Standard

LongLast™ T2 Spiral Features and Benefits:

- Attractive reduced size spirals substituting T3 Stick Extra Mini from Q2 2010
- 15,000 hours premium long lifetime
- 'A' energy rating
- 20,000 high switching endurance
- Reduced mercury content to < 1mg
- Fast warm-up <30sec
- Ecolabel certified environmentally-friendly quality lamp
- EUP compliant packaging + open bottom box for cap visibility

Wattage [W]	Volts [V]	Cap	Product Description	Product Code	Lumen [lm]	CCT [K]	CRI [Ra]	Life [h]	Length [mm]	Diameter [mm]	EEC	Pack Qty	EuP Watt Equivalent
8	220-240	E14	FLE8HLX/T2/827/E14	76153	470	2700	80	15 000	97	45	A	8	42
8	220-240	E27	FLE8HLX/T2/827/E27	76154	470	2700	80	15 000	85	45	A	8	42
8	220-240	B22	FLE8HLX/T2/827/B22	78156	470	2700	80	15 000	84	45	A	8	42
8	220-240	E14	FLE8HLX/T2/840/E14	78157	460	4000	80	15 000	97	45	A	8	42
8	220-240	E27	FLE8HLX/T2/840/E27	78188	460	4000	80	15 000	85	45	A	8	42
8	220-240	E27	FLE8HLX/T2/865/E27	78189	430	6500	80	15 000	85	45	A	8	40
12	220-240	E14	FLE12HLX/T2/827/E14	76155	715	2700	80	15 000	110	52	A	6	58
12	220-240	E27	FLE12HLX/T2/827/E27	76157	715	2700	80	15 000	98	52	A	6	58
12	220-240	B22	FLE12HLX/T2/827/B22	78190	715	2700	80	15 000	97	52	A	6	58
12	220-240	E14	FLE12HLX/T2/840/E14	78191	700	4000	80	15 000	110	52	A	6	57
12	220-240	E27	FLE12HLX/T2/840/E27	78192	700	4000	80	15 000	98	52	A	6	57
12	220-240	E14	FLE12HLX/T2/865/E14	78193	665	6500	80	15 000	110	52	A	6	55
12	220-240	E27	FLE12HLX/T2/865/E27	78194	665	6500	80	15 000	98	52	A	6	55
15	220-240	E27	FLE15HLX/T2/827/E27	76156	950	2700	80	15 000	98	52	A	6	74
15	220-240	B22	FLE15HLX/T2/827/B22	78195	950	2700	80	15 000	97	52	A	6	74
15	220-240	E27	FLE15HLX/T2/840/E27	78196	950	4000	80	15 000	98	52	A	6	74
15	220-240	E27	FLE15HLX/T2/865/E27	78197	900	6500	80	15 000	98	52	A	6	70
20	220-240	E27	FLE20HLX/T2/827/E27	76158	1220	2700	80	15 000	118	56	A	6	90
20	220-240	B22	FLE20HLX/T2/827/B22	78198	1220	2700	80	15 000	117	56	A	6	90
20	220-240	E27	FLE20HLX/T2/840/E27	78199	1200	4000	80	15 000	118	56	A	6	88
20	220-240	E27	FLE20HLX/T2/865/E27	78200	1152	6500	80	15 000	118	56	A	6	86
20	220-240	B22	FLE20HLX/T2/865/B22	78201	1152	6500	80	15 000	117	56	A	6	86
23	220-240	E27	FLE23HLX/T2/827/E27	76159	1500	2700	80	15 000	126	56	A	6	106
23	220-240	E27	FLE23HLX/T2/840/E27	78202	1380	4000	80	15 000	126	56	A	6	99
23	220-240	E27	FLE23HLX/T2/865/E27	78203	1380	6500	80	15 000	126	56	A	6	99

www.gelighting.com/eu

and General Electric are both registered trademarks of the General Electric Company

GE Lighting is constantly developing and improving its products. For this reason, all product descriptions in this brochure are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, GE Lighting cannot accept any liability arising from the reliance on such data to the extent permitted by law. LongLast™ T2 Spiral 15Y brochure - April 2010